arXiv:gr-qc/0511039v2 19 Mar 2006

Acceleration of a Spherical Brane-Universe

Merab GOGBERASHVILI

Andronikashvili Institute of Physics
6 Tamarashvili St., Tbilisi 0177, Georgia

Abstract

The model where the universe is considered as an expanding spherical 3-brane allows us to explain its expansion rate without a dark energy component. In this scenario the computed redshift that corresponds to the transition from cosmic deceleration to acceleration is in a good agreement with observations.

PACS numbers: 04.50.+h, 95.35.+d, 98.80.Es

The recent analysis of CMB data combined with other astronomical observations suggests that the universe is nearly flat, but possibly with small positive curvature (corresponding to $\Omega = 1,02$), i. e. finite [1]. The simplest space with the positive curvature is a hyper-sphere. The model with the similar topology, where the universe is considered as an expanding spherical 3-brane in 5-dimensional space-time with matter localized on it, was already introduced by us several years ago [2]. That article even anticipates well-known papers [3] on brane physics. The shell-universe model proposes obvious explanation of the isotropic runaway of galaxies, the deficiency in the first modes of the angular power spectrum and the existence of the cosmological preferred frame. This model also provides a natural mechanism for the local increment of the brane tension, leading to the modified Newton's law at galaxy scales, alternative to galactic dark matter [4].

The recent announcement of the measurement with high-redshift supernovae indicates a transition from cosmic deceleration to acceleration [5]. The accelerated expansion of the universe usually is model via the cosmological constant. The problems with introduction of a non-zero cosmological constant in four dimensions, as well as the relative lack of observational constraints, inspired many alternative explanations (for recent reviews see [6]). A component that causes the accelerate explanation of the universe is referred to 'dark energy', with the cosmological constant being just one possibility. In the shell-universe model, because of the standard cancellation mechanism [3, 7], the cosmological constant on the brane is zero, while it can be large in the bulk.

Some authors already suggest models without mysterious dark energy [8]. In this paper we want to show that if the universe is considered as an expanding spherical brane in 5-dimensional space-time we can also naturally obtain the transition from deceleration to acceleration at the observed redshift without introduction of dark energy on the brane.

We consider Einstein's 5-dimensional equations with negative cosmological constant

$$R_{AB} - \frac{1}{2} g_{AB} R = -\Lambda g_{AB} + 6\pi^2 G T_{AB} \ . \qquad (A, B = 0, 1, 2, 3, 5) \tag{1}$$

The outer/inner geometries to the shell in the thin-wall formalism [9] are done by [2]

$$ds_+^2 = (1 - 2MG/R^2 + \Lambda_+ R^2)dt^2 - (1 - 2MG/R^2 + \Lambda_+ R^2)^{-1}dR^2 - R^2 d\Omega^2 \ ,$$
$$ds_-^2 = (1 + \Lambda_- R^2)dt^2 - (1 + \Lambda_- R^2)^{-1}dR^2 - R^2 d\Omega^2 \ . \qquad (2)$$

Here M is the total mass of the spherical universe, R is the radial coordinate of the hypersphere, G is 5-dimensional Newton's constant, $\Lambda_\pm$ are the outer/inner bulk cosmological constants, and

$$d\Omega^2 = d\kappa^2 + \sin^2\kappa(d\theta^2 + \sin^2\theta d\phi^2) \qquad (3)$$

is the 3-dimensional volume element with the ordinary spherical angles θ and ϕ. The third angle κ corresponds to the ordinary radial coordinate of the Einstein world model

$$dl^2 = \frac{dr^2}{1 - r^2/R^2} + r^2(d\theta^2 + \sin^2\theta d\phi^2) \qquad (4)$$

by the formula $r = R\sin\kappa$.

We suppose that the space-times (2) are separated by a time-like 3-dimensional thin brane (our universe) with the metric of the closed isotropic model

$$ds^2 = d\tau^2 - a^2(\tau)d\Omega^2 \ , \qquad (5)$$

where τ is the intrinsic time of the universe. Let us choose the equation of a time-like shell in the form:

$$R = a(\tau) \ . \qquad (6)$$

This means that the cosmological scale factor $a(\tau)$ serves as the radial coordinate of the 3-shell in our model.

Using ordinary formulae of the thin-wall formalism the equation of motion of the spherical shell can be written as [9]:

$$\sqrt{\dot{a}^2 + 1 - 2MG/a^2 + \Lambda_+ a^2} - \sqrt{\dot{a}^2 + 1 + \Lambda_- a^2} = -\sigma a \ , \qquad (7)$$

where overdots mean derivatives with respect to τ. In this equation

$$\sigma = \frac{1}{3} lim_{\epsilon\to 0} \int_{-\epsilon}^{+\epsilon} (6\pi^2 G T_0^0 + \tau_0^0 + \Lambda) da \qquad (8)$$

is the intrinsic energy density of the shell-universe, where T_0^0 is matter energy density, τ_0^0 is brane tension and Λ is cosmological constant on the brane. For the simplicity we can consider the model of matter on the shell with the equation of state of dust. Since we suppose standard cancellation of Λ and τ_0^0 by the warp factor on the shell and also that the volume of the 3-sphere in our coordinates is

$$V = 4\pi a^3 \int_0^\pi d\kappa \sin^2\kappa = 2\pi^2 a^3 \ , \qquad (9)$$

for σ we obtain

$$\sigma = \frac{GM}{a^3} = 2\pi^2 \epsilon G_{(4)} \rho \simeq \epsilon H_0^2 \ , \qquad (10)$$

where $G_{(4)}$ is the 4-dimensional gravitational constant, H_0 is Hubble's constant, ϵ is the thickness of the brane and $\rho = M/2\pi^2 R^3$ is the present value of the mean mass density on the shell.

From (7) one can find the equation for expansion rate of the shell-universe

$$H^2 = \left(\frac{\dot{a}}{a}\right)^2 = -\frac{1}{a^2} + \frac{G^2M^2}{\sigma^2 a^8} + \frac{(\Lambda_+ - \Lambda_-)^2}{4\sigma^2} - \frac{\Lambda_+ + \Lambda_-}{2} + \frac{\sigma^2}{4} + \frac{GM}{a^4} - \frac{GM(\Lambda_+ - \Lambda_-)}{\sigma^2 a^4} \ . \quad (11)$$

Using (10) we notice that second term at right side exactly cancels the first, curvature, term. Next simplification may be made from the observation that for the small redshifts $a >> \epsilon$, using the estimation (10), we can neglect the last three terms in (11). This means that in distinct from the 4-dimensional relativity, where expansion rate of the universe is determined by the matter content and the curvature, in our case present dynamics of the shell-universe is governed mainly by the bulk cosmological constants.

Finally, parameterizing the scale factor by the redshift z

$$a(\tau) = \frac{R}{1+z} \ , \quad (12)$$

where R is the (co-moving) radius of curvature, the equation (11) takes the form:

$$H^2 = \left(\frac{\dot{z}}{1+z}\right)^2 \simeq H_0^2 \left[\frac{\Omega_-}{(1+z)^6} - \Omega_+\right] \ , \quad (13)$$

where

$$\Omega_- = \frac{(\Lambda_+ - \Lambda_-)^2}{4\sigma^2 H_0^2} \ , \qquad \Omega_+ = \frac{\Lambda_+ + \Lambda_-}{2H_0^2} \ . \quad (14)$$

These parameters give the relative contributions to the present expansion rate H_0 with

$$\Omega_- - \Omega_+ \simeq 1 \ . \quad (15)$$

Using (13) we can write also the cosmological acceleration equation

$$\frac{\ddot{a}}{a} \simeq H_0^2 \left[\frac{4\Omega_-}{(1+z)^6} - \Omega_+\right] \ . \quad (16)$$

From this equation we see that, because of (15), at the present stage our universe is in accelerating regime. Since the constants Ω_- and Ω_+ have the same order of magnitude one can find from (16) that the acceleration starts at the redshift

$$z > 4^{1/6} - 1 \simeq 0.3 \ , \quad (17)$$

when the first term exceeds the second one. This result is in good agrement with observational data [5] and does not depend much on the particular matter content of the model, but has geometrical origin.

So it is natural to consider the universe as an expanding spherical brane with confined matter on it. Some observational data, such as, isotropic runaway of galaxies, the deficiency in the first modes of the angular power spectrum and existence of the preferred

frame in the universe, support this model. As it was shown in this paper, shell-universe model predicts also the correct value of the redshift parameter that corresponds to the transition from cosmic deceleration to acceleration.

Acknowledgements: The author would like to acknowledge the hospitality extended during his visits at the Abdus Salam International Centre for Theoretical Physics where this work was done.

References

[1] J. L. Tonry, et al., *Astrophys. J.* **594** (2003) 1 [arXiv: astro-ph/0305008];
J. -P. Luminet, J. Weeks, A. Riazuelo, R. Lehoucq and J. -P. Uzan J., *Nature* **425** (2003) 593 [arXiv: astro-ph/0310253].

[2] M. Gogberashvili, *Europhys. Lett.* **49** (2000) 396 [arXiv: hep-ph/9812365].

[3] L. Randall and R. Sundrum, *Phys. Rev. Lett.* **83** (1999) 3370 [arXiv: hep-ph/9905221]; Ibidem, *Phys. Rev. Lett.* **83** (1999) 4690 [arXiv: hep-th/9906064].

[4] M.Gogberashvili and M.Maziashvili, *Gen. Rel. Grav.* **37** (2005) 1129 [arXiv: astro-ph/0404117].

[5] R. A. Knop, et al., *Astrophys. J.* **598** (2003) 102 [arXiv: astro-ph/0309368];
A. G. Riess, et al., *Astrophys. J.* **607** (2004) 665 [arXiv: astro-ph/0402512].

[6] P. J. E. Peebles and B. Ratra, *Rev. Mod. Phys.* **75** (2003) 559 [arXiv: astro-ph/0207347];
T. Padmanabhan, *Phys. Rept.* **380** (2003) 235 [arXiv: hep-th/0212290];
L. Barnes, M. J. Francis, G. F. Lewis and E. V. Linder, [arXiv: astro-ph/0510791].

[7] M. Gogberashvili, *Int. J. Mod. Phys.* **D 11** (2002) 1635 [arXiv: hep-ph/9812296]; Ibidem, *Int. J. Mod. Phys.* **D 11** (2002) 1639 [arXiv: hep-ph/9908347].

[8] C. Deffayet, G. Dvali and G. Gabadadze, *Phys. Rev.* **D 65** (2002) 044023 [arXiv: astro-ph/0105068];
S. Nojiri and S. Odintsov *Phys.Rev.* **D 68** (2003) 123512 [arXiv: hep-th/0307288];
S. M. Carroll, V. Duvvuri, M. Trodden and M. S. Turner, *Phys. Rev.* **D 70** (2004) 043528 [arXiv: astro-ph/0306438];
S. Capozziello, V. F. Cardone, S. Carloni and A. Troisi, *Int. J. Mod. Phys.* **D 12** (2003) 1969 [arXiv: astro-ph/0307018];
A. Lue, R. Scoccimarro and G. Starkman, *Phys. Rev.* **D 69** (2004) 044005 [arXiv: astro-ph/0307034];
E. W. Kolb, S. Matarrese and A. Riotto, [arXiv: astro-ph/0506534].

[9] V. A. Berezin, V. A. Kuzmin and I. I. Tkachev, *Phys. Rev.* **D 36** (1987) 2919;
A. Barnaveli and M. Gogberashvili, in *New Frontiers in Gravitation* (Hadronic Press, Palm Harbor, 1996) [arXiv: hep-ph/9505412].